W. C. Salmon [1977] Nous 11, pp. 253–292
"The Pragmatic Significance of the Two-Way Flood of Light"

Suffers counterexample of ε value.

but cf.

D. Malament [1977]: "Causal Theories of Time and the Conventionality of Simultaneity"
Nous, 11 pp 293–300.



$Sim_O(pq) \Leftrightarrow \langle p\text{-}q | q\text{-}s \rangle = 0$

$\Leftrightarrow \varepsilon = 1/2$
conv.

Easily proved. in the paper.

Relevant dev. here of S in an equivalence relation dev. $S = Sim_O$ (i.e. $\varepsilon = 1/2$)

But S_ε does not define an equivalence relation



$P\ S_\varepsilon Q$

$Q\ S_\varepsilon R$

But $P \not S_\varepsilon R$.

P. Caldirola and E. Recami [1983],
"Causality and Tachyons in Relativistic
M.L. Dalla Chiara (ed.)
in ~~D. Chiara and M. Luisa (eds.)~~
Italian Studies in the Foundations
& Methods of Science (Dordrecht: D. Reidel)
pp. 249–298.
good up-to-date survey of
tachyons.

J. Earman [1972]: 'Implications of causal propagation outside the null cone'
Australasian Journal of Philosophy 50 pp. 222-237.

Refers to: Hawkes Butler Scholes Vol 5 (1969)
'Causality Theory', Rel. Roy.

Good approach to the causal
loop paradox by some admitted possible
real universe but causal loops
- of course there
- will be a modified universe in
many cases.

Rodbell, Normal Formulation of the Krebs Cycle in Terms of Graph Theory

Rev. R. Ae. Cienc. Radiol 61 (1967)

555. introduced idea of graph vertices (longitudinal, lateral) and line deletion seen as basis for various forms of celebrity transformation.

Kar Nobelest in Neurobiol. Wiss. 5. Kys. 18 (1970) 1, discusses Neurobiol. Leistungen by just replacing c by ed at end, if the word ended in c, else it stood unchanged

D. Lewis Counterfactuals – 1973

Defining $\phi \Box\!\!\rightarrow \psi$ given on p. 16

If vacuous case we say
ϕ is not entertainable at i.

a) Vacuous truth

b) Non-Vacuous Truth

Def. of a (actual) system of spheres centered i
given on p. 14.

O. Bilaniuk, V. Deshpande and E. Sudarshan

"Meta" Relativity: Am. J. Phys. 30 (1962) 718-723.

refer to prehistoric treatment by Thomson (PM 28 (1889) 13), Sommerfeld & Heaviside. Rest mass of tachyons been supposed most zero but this is not measurable (only p, E classical and real)

G. Feinberg "Possibility of Faster-Than-Light Particles" PR 159 (1967) 1089-1105.

introduces the name 'tachyon'.

discusses various objections to tachyons

1.) E, p → ∞ as v → c but v > c always allowed

2) E, p becomes imaginary for v > c, m → imaginary.

3) Negative energy states possible } RIP Pauli principle

4) Undesired propagator value

5) tachyons used to violate Bose + vol. flow, but loss of Lorentz invariance under discussion time interpretation.

F. says there are no finite-dimensional reps of Lorentz group with imaginary mass other than scalar.

Carries $(\Box^2 + \mu^2)\phi = 0$.

tachyons cannot be localized - this causes does not lead to particles for all observers.

2 charges n_e & particles present (cf. A & P).

All tachyons are fermions, unless of bosons then v. vacuum is not invariant under L.

R. Soldini 'Factorization of Scattered Waves and Tachyons'. N.C. 14A (1973) 501, 527.

---

develops theory of factorization of light scattered waves as well as particles - i.e. two metric relativity extensions of the results in 1 dimension of L. Parker P.R. 188 (1969) 2287. In this way Soldini develops a theory which includes spherical solutions of the wave equation. Soldini also finds the commutation relations in place of the commutation for QFT particles.

E. Wigner 'Relativistic Invariance and Quantum Mechanics'. N.C. 3 (1956) 517. gives good established discussion of the difficulties of elementary systems - difficulties which lead to the introduction of the unitary group in order to include spatial inversions (in place of the Lorentz group which is replaced by proper group only) (refer to Fierz HPA 10 (1937) 175 for discussion of C symmetry. , also later references)

R.L. Schult 'Causality and Faster than Light Particles'. Nuc. Phy. B32 (1970) 436–444.
Some good discussion of the Newton (1967) and Bilaniuk (1969) causal paradox – argues that they do not show tachyons & the uncertainty of that certain causal conditions cannot be realized. Bilaniuk's conclusion was that interaction between tachyons and tachyons is not locally possible.

S.J. Stevens 'On the magnetic fields induced by Nelson in the Skobelev Road'. PM 28 (1889) 3.
describes case of velocity > c for a moving electrified sphere (calculates the magnetic field)

R. Clay & P. Crouch Nature 248 (1974) 28–
'Possible observation of Tachyons with associated Cerenkov emission'

J. Rand 'Tachyons and Paradox' F.P. 9 (1979) 557
very complete discussion
n.b. $t_2' - t_1' = \gamma(t_2 - t_1)(1 - vu/c^2)$
so time reversal if $vu > c^2$ i.e. $v > \frac{c}{u} \times c$, possible if $u > c$
But $E^* = \gamma(E - pv)$ where $p = \sqrt{E^2 + \mu^2} = mu = \frac{Eu}{c^2}$
$= \gamma E(1 - uv/c^2)$, closer zero if $uv > c^2$.

A. Everett : 'Packets, Broken Lines, Invariant, and Superluminal Light Cones' - P.R. D15 (1976) 285, 795.
Generalizes Gott-Li thin shells to S.R. in flat 2+1-d, draws and use Penrose

N. Antiffer & A. Everett P.R. D8 (1973) 2352
'Packets, Causality, Relativity and Tachyons'
extends the 1-dimensional model of Antiffer & Everett (1971) to 3-dimensions & studies a spherical shell in free - a packet causal - does idea is explored in
Antiffer P.R. D11 (1975) 724.

W. Rabinowitz P.R. D6 (1972) 2350
rejects the Parametrized Post analysis of the Penrose Paradox. He does the only solution of the causal paradox is to forbid certain types of tachyon emission - this is Maund's boundary condition once, supported by Csonka. See also
+ R. Fox P.R. D5 (1972) 324.
(tachyons and E.P.R. very important reference)

R-1

R. Fox 'Techyon and Quantum Statistics' P.R.D 5 (1972) 329-331.

discusses collaboration of EPR experiment to Bohm's quantum potential). Solution to Bohm problem and information at wrong place / operating my point)

refers to Jaynes for Neo-Copy P.P reality to test EPR

in R. Fox Vol - N.C. 2 (1971) 565-

H. Bloch P.R. 183 (1969) 1514.

Correction to Olson Sudarshan (1968) — a beats - virtual tachyon Prediction is not observable as a classical influence function.

R. Newton 'Scattering that Causal Faster than Light'. Physics 167 (1970) 1569

suggests that causal paradox can be avoided if tachyons unless Lorentz change in relativistic addition.

E. Recami and R. Mignani

Classical Theory of Tachyons.
(Special Relativity Extended to Superluminal Frames & Objects)

Rivista del Nuovo Cimento 4 (1974) 209-290.

Today they really operated with Bilaniuk, Deshpande and Sudarshan Am. J. Phys. 30 (1962) 718, Feinberg, P.R. 159 (1967) 1089.

Except rel. for tachyons they have no rel. for energy for v=0 so we cannot in any frame transmit a finite amount of energy with infinite velocity) but they do transmit modulation. Not the causal connection is not once moment relativ in tachyon signalling. — cp discussion of the Pisani Reviews (1970)



But what A sees is indeed just reduced at D and as final per annihilation at B and as $(A_1) > (A_2)$ and not seen as cancel cancelled at all.

But



M. Bodlaka, E. Navrátil

On the linear & the Galilei Transformation

Acta Physica Austriaca 24 (1966) 99–108.

Assume $x_i' = f_i(t, x_j)$ $\quad x' = f_1(x\,y\,z,t,v)$

for Theorem of Homogeneity as $y' = \;-\;-$

$z' = f_4(v\,x\,y\,z\,t)$

$x_2' - x_1' = F_1(v, x_2 - x_1, y_2 - y_1 - -)$

or $f_i(v, x_2\,y_2 - z_1, t_2) - F_i(v, x_1, y_1 z_1, t_1)$

$= F_i(v, x_2 - x_1, y_2 - y_1, z_2 - z_1, t_2 - t_1)$

Then $\dfrac{\partial f_i}{\partial x_2} = \dfrac{\partial F_i}{\partial (x_2 - x_1)}$

$-\dfrac{\partial f_i}{\partial x_1} = -\dfrac{\partial F_i}{\partial (x_2 - x_1)}$

$\therefore \dfrac{\partial f_i}{\partial x_2} = \dfrac{\partial f_i}{\partial x_1}$

for any x_2, x_1

$\therefore \dfrac{\partial f_i}{\partial x} = A_i(v)$

$\therefore f_i(v, x, y, z, t) = A_i(v)x + B_i(v)y + C_i(v)z + D_i(v)t + E_i(v)$

or f_i is a linear one.

i.e. the coordinate transformation problem

in equal displacement space.

According to Roller Lorentz follows
from ~~select~~ coupling vel. related to t,
must due Lee coupling related to t'

$$u_x' = \frac{\frac{\partial f_1}{\partial x}dx + \frac{\partial f_1}{\partial y}dy + \cdots - \frac{\partial f_1}{\partial t}dt}{\frac{\partial f_4}{\partial x}dx + \cdots - \frac{\partial f_4}{\partial t}dt}$$

$$= \frac{\frac{\partial f_1}{\partial x}\cdot u_x + \frac{\partial f_1}{\partial y}u_y + \cdots - \frac{\partial f_1}{\partial t}}{\frac{\partial f_4}{\partial x}u_x + \cdots - \frac{\partial f_4}{\partial t}}$$

= const. if u_x, u_y, u_z and any constants.

Der regular $\frac{\partial f_1}{\partial x}$ = const $\frac{\partial f_1}{\partial y}$ = const — —

M. Rodlabd Note on the Basics of the Special Theory of Relativity. Acta Physica Mexicana 17 (1964) 266–270

Lorentz transformation fem 2 coordinate
1.) Requires condition (Lorentz invariant
Relativity) $x = f_1(v, x, \ldots t)$ etc.
$\Rightarrow x = f_1(-v, x', \ldots t')$ etc.

and 2.) Addition of Two — refer to other
means systems

Stiegler . N.C. 13 873 (1959)
Ahrens . Am. J. Phys 30 34 (1962)
use extended Lorentz
Rel. a Lorentz.

L. Sklar: Space, Time and Spacetime

U. California Press 1974.

Introduction ch I says book is aimed at Philosophy of Physics

Ch II the epistemology of geometry: Pages on Euclid's theory of parallels, non-Euclidean geometry - Gauss's theory of surfaces - Riemann's theory of curved spaces - distance generalizes to Riemann geometry - including usual space in which a rigid rod moved around a closed loop is not congruent with itself (non-orientable nature of surface is now described by two forms g-tensor (quadratic) and linear form ϕ. Also shows how curved closed curves can be returned to starting point with rotation. S. also discusses Carnap's views on geometry Section H p. 112 et seq. is entitled 'On paranoid ch - Philosophical perplexity' - gives good account of possible reactions to conventionalism - Refers to papers in

Choquet-Bruhat, H. and Hoffmann, W. Gravitation and Relativity.

In ch III S. discusses Absolute motion and Substantival spacetime.
- discusses Lorentz versus Newton.
good account that one could adopt
notions w.r.t. aether, but cannot recover
to absolute and absolute space.
- S also discusses Mach v. Newton,
and non-Machian objects & GR.
- refers to Hoefer BMP 36 for
discussion of neo-Newtonian spacetime

In ch IV S. discusses Causal order and temporal order.
Gives inductive procedure to null-result of
round trip expt. light takes same time to travel
in polygonal path to starting in either direction
(= rel. of light (one-way) is independent of notion of
reference frame) - continues with good
general treatment of special relativity
- continues with discussion of G.R - the closed
time-like world lines etc - does not regard this
as typically important - imposes constraints on initial
conditions - must be such as to bring about the
present state at some future time

S. discusses how we may reinterpret this situation in terms of identical world states at different times (contradicts Leibniz's identity of indiscernibles)

Refers to J. Earman's 'Infinities & causal propagation outside the Null Cone' (re tachyons)
Australasian J. of Phil. 50 (1972)

ad J. Earman Notes on the causal theory of time' Synthese 24 1972. (deals with non-standard causal topologies)

Ch V deals with the direction of time.

In ordinary conceptual scheme asymmetry plays itself in respect of
1.) knowledge of past - future
2.) Experience.
3.) Possibility (past closed & possibility open)
4.) Causation
5.) Concern (past pains we remember with regret, future - anticipate with anxiety)

S. contenues with a good account of symmetry
- in particular time reversal.

If $S \xrightarrow[Dt]{} S_1$,

then $T(S_1) \xrightarrow[Dt]{} T(S)$ $T(S_1)$ is time reversed
state of final state.

S. gives a good account of defects irreversible
processes such as expansion of the universe,
radiation etc
Good account of Wheeler-Feynman advanced-
and-delayed theory (absorber) of radiation
reaction — explains retarded causality
in time — but retard causality is
good data — appearance of correlations of particle motion
is always forward in time

Good results on statistical physics
— testing the Boltzmann, Gibbs or
H-theorem
S. also destroys Time-reversibility from the dynamics
of time. — extend to laws of physics as non-T
invariant. Spectral rest be irreversible

S-matrix that can be calculated from T-invariance (or not) & locality.

e.g. T-invariance does not exclude sequence of states $S(t_1)\ S(t_2)$ as depending on duration of time (because T-invariance under the notion of a reversed state)

but T-invariance of non-zero probability that $S(t_1)\ T S(t_2)$ $t_2 > t_1$ and that $S(t_1)\ T S(t_2)$ $t_2 > t_1$ is not possible

Part does pass of state might not be realized in fact.

Sawyer speaks a relativistic invariant duration of time in terms of sequences of physical events. (cp Jordan)

Refer to O. Klein. "Formulation of Statistical Mechanics" for Gibbs & Boltzmann.

Also cf. T. Platt. Prog. theor. Phys. 12 (1954) [absorbed to equilibrium due to non-isolation]

also Wheeler, Feynman RMP. 21 (1949) (Action at distance)

cp RMP. 17 (1945) – Stueckelberg.

General reference on differential geometry is

Spivak, M. A. Comprehensive introduction to Differential Geometry (2 vols.).

References for non-standard terminology in G.R.

Kronheimer, Penrose. 'On the Structure of Causal Spaces' Proc. Camb. Phil. Soc. 63 (1967)

B. Carter 'Causal Structure in Space-Time' G.R.G. Journal 1 (1970)

Geroch, R. 'Singularities' in M. Carmeli, S. Fickler and L. Witten (eds) 'Relativity'.

Bas. C. Van Fraassen : An Introduction to the Philosophy of Time and Space. Random House 1970.

The book is basically intended to provide an introduction to the work of Grünbaum and Reichenbach

ch I covers Basic issues in the philosophy of Time and Space.

ch II is concerned with Theory of Time: Aristotle to Kant. — good treatment of Newton's Physics. "Time is a measurable aspect of process". It is not to be identified with process, which was Plato's view. — really a theory of duration with the idea of time

Possible changes; includes. 1) A thing that is changed, 2) an initial condition, 3) a final condition.

For exact change, initial, final conditions must be of same kind (three incompatible) if of different kind (e.g. musician tunes piano piano to tuning a scale) initial, final conditions

are compatible - change, says Van F) as the accidental essential changes. as a manner finds
generated from a non-substantive (as not-white) to
a substantive (as white)
destruction. inverse of generation.
movement or process is change from one
substantive to an incompatible one.
e.g. white to black.

movement may be change w.r.t. quality (colour)
quantity (eg. height) or place. (local motion)
Van F. discusses Metaph. v. Aristotle's definition
of motion (Arist. to begin a end to motion
- denied by Aquinas who want to give an
account of theological doctrine of creation.)
esp.
Barrow rejects Aristotle's view that time
is an aspect of motion. - extend distinct
- time exists even if no motion takes place
2 Absolute time Joined by Barrow & perhaps
Newton. - But challenged by Leibniz
& Clarke - Leibniz Correspondence.
(H.G. Alexander ed. The Leibniz - Clarke
Correspondence)

After an extended treatment of Leibniz
Von F. descends Kant. — limits notion of time
and classical physics — developed further by
Lechalas in 19th century — both Leibniz
and Lechalas are forerunners of modern concept
ation of time.

ch III descends Tao in 19th century.
— Nichols theory of atomic movement,
historical features of time.
— descent, notion of time — (Bancord
v. Russell). Mystery of time.
— demonstrations ⇒ physical notions
— theory of wave types — rather
brief simple treatment of three types
Tao ⇒ mixed next descent.
⇒ time relativity of the mind
Romanes ⇒ Xo ⇒ (words of nature)
Avicenna ⇒ Xo.
Duns Scotus ⇒ notion as here is aspect
movement it is relevant of mental notion
on it is a process, it depends on embrace
of being state to measure.

Ch IV Classical problems & theory of space.

Van F. des vues Newton v. Leibniz.
— also Berkeley's attack on Newton's absolute space (in De Motu)
— refer to Galileo's Relativity and to Leibniz — Reflections on the nature of space and time — supports absolute space.
— Van F. read the views Berkeley & Locke
— Euclid, Non-Euclidean — Poincaré's conventionalism.
Finally in F. discuss fundamental theorem of space (& Lecons par Lebesgue account)

Ch V Content & Relativity this is last

closer in Zoh.
— first treatment of Relativity - Rocky.
Discuss Lorentz transformations embed in Lorentz - Einstein. with a parallel to Poincaré & Minkowski & their relation to H. Tonnelat's Concepts, Principles in the Theory of Relativity, with Einstein's Special Theory of Relativity - 1963.
H. Bondi, Relativity, Common Sense 1964.
(introduction E-calculus) Eric Bolton.

ch VI descents th Casual theory &
Tame > Wild.

20th century saw 2 lines of development

1.) Abh, Ramet, Hasse, Witt, Teichmüller (1914), Ro Chevalley & Nakayama (1937)
Class Field Theory Local Kronecker-Weber Theorem

2.) Dedekind, Hensel, Krull, Noether
Hensel's Lemma
Krull-Noether theory of Valuations
ad Modern Scene
Louis Mordell.

↳ Criterion of Eisenstein (1850) Mark Mather
Irreducible (mod p) in F_p is irreducible
mod p in $\bar{F}_p$ but not vice versa
for F_p in general of $\bar{F}_p$

But this depends on concept of Ideal
- Kummer (1847) Fermat
- Class number not 1, Ideal not
- Cubic & Nehring and Quintic
Principal Ideal Theorem
Ideal Classes not roots of Polynomials

Von F. contents not extended discussion of foundations central theory of time
Finally Von F. discusses his own contributions to the General theory of time.

---

p. 30 – 35. Von F discusses Special theory

events.
a state of affairs ≡ state of all bodies considered
Proces ≡ sequence of changes of states of bodies ≡ sequence of states.
Event ≡ change in state = limiting case of a process (series of states with at 2 members)
An event is really a short lived state
If you set a room for 1 hr and put 16 light for 1 sec we say "All that bothered (would) has left room for 1 second".
Of Bridgman (A sophisticate's primer of relativity)
Event implies a 'happening' of some sort. 'We are not likely to think of a book resting perhaps on a table as an 'event' (Just a succession of events (Book remains for short time in position P – relatively)
Events Reflect, change exist and states of affairs obtain
(or persist)

R. Swinburne Space & Time, Macmillan 1968.

The book adopts an ordinary language approach to concepts of space & time.
It is concerned with charting logically possible properties which space & time may have, as secondarily with the most general contingent properties.
Introduction explains distinction between necessity & contingency.

ch I is on place & matter.
A place is where a material object is.
Anything which can be said to have a place is called a spatial thing.
1.) Material objects, & diffn. two such cannot occupy same place.
2.) mere physical objects such as fields which can interpenetrate. — but of material objects and spatial is agreed by Quinton in Mind 1964 74 332.

ch 2 is entitled Places. A space is called a place. — refers to Jane Austen. — Are all places spatial? related to discussion of Quinton ayer no not necessarily in Aristotle, 1962 37 p. 130.

also as spatio-temporal continuity a necessary condition for personal identity.
cf. Williams, Proc. Aust. Soc. 1956 57 229
and papers in Analysis 1958–1962 by Flew,
Nerlich, Shoemaker, Williams & Shorter.

ch 3 is concerned with absolute theories
– discuss Newton, Radcliffe

ch 4 Poincaré & Reichenbach – Primary topics
– using stretching all of rigid rod.
– 3 surface test for a plane –
shortest distance test for a straight line etc.

To correct for measurement we need a geometry.
G_a, if G_p results from corrected measurement
we require $C_p = G_A$. cf Grünbaum
Fund. Phil. Sci 1964
Physical Geometry 31, 156.
Physical Geometry and Physical Laws.

ch 5 Poincaré & Reichenbach – Secondary PS-
descriptions celestial measurements –
– refer to J. D. North 'The Measure
of the Universe', 1965.

ch 6 The Geometry of Space.
discovery non-Euclidean Geometries.

ch 7 The Dimension of Space.
- means the least number of distance measurements required to locate a point, not just No of coordinates.

ch 8 Past and future considers philosophy of Time

Time
Spatial things exist, occupy space
while a spatial thing called event is
a period of time. Events are changes of
states of things.
S. syn of logical necessity causes & agents and
other causes can only affect the present or
future, not the past.
Note I can't change the past or the future.
To change something is to make it different
from what it is ~~a matter of time~~ to some other extent. But the future is what does occur. This is fixed. But I might be able to cause or bring about the past as was the future.

Many problems claim as Cor in ineffective effect do not — Dyer, Russell, Bennett 339
'Bringing about the part. 'Rehabilitation' Review, 1964, 73, 1
73 p. 338. This is supported by Screven, 1956, 17, 5 Canada
and by chesholm, Taylor v. analysis, 1960, 20, 73.
↳ 'Many things to have happened' — de Marche Phil. Rev 1966, 75 441
But this denied by S. also by. 'Re Definition of Causation'
Flew 'Cor an effect precedes its Cause
Proc. Aust. Soc. Sup. Vol. 1954, 28, 97
Black. Analysis 1956 16, 49.
Flew " " 104.
Pears " 1957, 17, 54.
Flew " 1957, 17, 81
Day " 1960, 20, 79 (add to chisholm, Taylor)
Gale "Why a Cause cannot be later than its effect" Rev. Met. 1965, 19, 209.
S. says Sobel's pbm is solved not by
argument since closed timelike world
lines are logically impossible. (see Sobel.
in PPR 1949, 21 44) and Eaton Schoppenhauer.

ch 9 Logical limits to Spatio-temporal knowledge.
— Time-travel is not logically possible says S

ch 10 Time & theories of time.
discuss whether we can have 2 time
S says, a unified theory, this is not
logically possible

ch 11 Time Measurement and Absolute Time.
— Sees good account of Special
relativity, formulas pp. 218–226
— also discuss measurement & time
in Cosmology.

ch 12 Physical limits to knowledge & the
Universe ? Hawking
discuss symbiosis & exit from
sp. C.F. S says we do have zero
knowledge & digs beyond exit knowledge
& that they really can't
Heat ? light.

ch 13 discuss sign Arguably & Past, False
— discuss H theorem, coupling & al
light cone &

ch 14 The size and geometry of the Universe.
ch 15 The Beginning and End of the Universe.

These matters are discussed both from the point of view of Past and of modern cosmology.

Refer to BTPS
Session: 'The Age of the Universe'
1954, 5 181
Hawe, 'Philosophical aspects of cosmology' BTPS, 1962, 13, 104-19.

— believe the Past, but unable S, that science tells about Universe is reliable and whether it had a beginning in time etc is unknowable.
S ~~does~~ acts in support of his views
C.H. Baird 'The beginning of the Universe' Proc. Aust. Soc., South Victoria, 1966, 40 p. 139-52.

C. W. Rietdijk Proof of a Retrocausal

Influenced:
Found. Phys. 8 (1978) 615 — discusses
retrocausality in the context of EPR.

R. Weigand 'Bell Tales' Synthese 42 (1979)
p. 191 gives good account of philosophical
issues relevant to discussion of pseudotypes
to

Risner, Wheeler 'classical Physics
as Geometry' Annals of Phys 2 (1957) 525
very good treatment of maximal classical
embedded approach to classical spacetime as

J. Earman J. of Phil. 69 (1972) 634
on Phil. discussion of pseudotensors

Chisholm, Taylor Analysis 20 (1960) 73

argue for retro causation on the ground
that "now" is nothing more than a causal
relation ~~except for~~ later than -- sufficiently
To argue for cause as defined in terms
in time is "merely a part of vocabulary"

W. Dray Analysis 20 (1960) 79
replies to defender (not happy E about) relation a cause
N.E. of fall of barometer
(But not about causal connection chain)

Bennett in Aust. Soc. Suff. volume.
28 1954, 27 argues for event-events
(sufficient, not preceding) as opposed
to causes (sufficient + preceding)
Semien Analysis 17 (1956), 5 points
Bennett rich rendering accepts.
Boundaries between C) E grounds

Probabilities of E by C, as E could be thought of as (quasi) cause sufficient to explain could chain leading to E
(This not quite Screven's example)
Or consider a ball wheel has caused motion after previous being at rest. Sufficient cause of motion. Sufficient state (at rest) is not sufficient. Thus in the set of causally also considered by Dummett on his Rules On being sent the post Phil. Rev. 73 (1964) 338.
Dummett explains that we cannot have 3 steps (foreknowledge, taking free action and placed causation) or (knowledge of the post, free action and other connected)

thus we count change the part of the future but we could conceivably by analogy to determine a likely course of part a future.

R. Sale Rev. Stat 19 (1965) 209 Sues
a very clear discussion of Hohfeld
Framework.

We distribute Coase with an interlocal
order a problem that could
be brought about by an interlocal
order. Now Coase we are
predicted pain bondage of the future
for Pareto creation with the
fact of allocation. But
by the law revised (pro lemmas)
bondage of the past. - alternative
is not logically possible we
have tend a conflict between interlocal
and money.

J. C. Rochet "On Question of Convexity"

Math. Soc. 75 (1966) 441 – 446 argues for 3 sets of preferences: Temporal, causal or behavioral

What is fixed and what is endogenous and preferences are defined by order.

He relies on the notion that the future is confined in the zone that we can control it (zone modified as this relation of finity). Rochet says it is a category fact that these three notions are made

B in the case of A if A is unknown & there is any time at which A is fixed but not B, because as caused in reference of A' double set to set B.

c. B causes A is possible as B is fixed at a time when A is still unfixed

Notion and Time, Space, Matter

ed. P.K. Machamer and R.G. Turnbull

A lot of historical essays.

Relativity discussed by F.F. Schaffer and W. Solomon (as reflected in Space Time, Matter).

E. Recami (ed.) Tachyons, Monopoles, and Related Topics. North Holland - Amsterdam, New York, Oxford (1978).

Good survey article by Recami.
Trefil discusses causal paradoxes
Sudarshan discusses tachyonic frames.
Tomoi, Kamefuchi give good discussion of QFT of tachyons.
Feinberg gives good introduction to Maxfield. — refers to Dirac
Phys. Rev. 74 814 (1948) as most
fundamental paper on subject.

30
4
7

another important reference is
J. M. Nevard Found. Phys. 9 (1979) 55-7.
'Tachyons and causal paradoxes'
- Very clear discussion of the Wertheimer
paradox (FTL) with many references

and
E. Recami Distant Synchrony and
the 1-way velocity of light. Found Phys
9 (1979) 329.
Discusses relativity, shift etc - not
very profound (should look at later
draft with non-standard synchrony)

Ranyoni, Rod Sexl, R.U. "A Test Theory
(Related by: J. Sundaresan) Lect Gyakorlatok
Special Relativity", Foundations of Physics, 8 (1977) 497-513

Uses fixed preferred background to
define notions of simultaneity.
Uses Doppler transformation
and keeps velocity addition formula

$$w = v + u(1-v^2) \quad \left(\text{or } w = \frac{v+u}{1+uv}\right)$$

↑ ↑ ↑
velocity referred frame S-frame related.
rel. S

⇒ Anisotropic light velocity.

$$t = \sqrt{1-v^2}\,T$$
$$x = \frac{1}{\sqrt{1-v^2}}\cdot(X - vT)$$

$$\frac{x}{t} = \frac{1}{1-v^2}(X_T - v)$$

or $u = \frac{1}{1-v^2}(w-v)$ or $w = v + u(1-v^2)$

reference to Robertson RMP. 21 (1949) 378 for
derivation of Lorentz transformation
and Ives-Stilwell.

p. 503 ' We thus arrive at the remarkable result that a theory involving absolute simultaneity is equivalent to special relativity '

p 512 ' Thus the most debated question of the empirical equivalence of special relativity and an ether theory taking account this debate and both contenders but involving absolute simultaneity can be assumed affirmatively. '

Section entitled ' Relativity without Relativity ' !